



EMERUS

ALUMINIUM EXTRUSION















E65Stt

Klizni prozori i vrata


TEHNIČKI KATALOG

PROFIL

Kod Codice Code	Presjek Sezione Cross Section 	Težina Peso Weight Kg/m	Perimetar Perimetro Perimeter mm	Vidljiva površina Sup. in Vista Exposed surface mm	Jx cm ⁴	Wx cm ⁴	Jy cm ⁴	Wy cm ⁴
SO65500	 PS15500	1.644	526.1	176.0	13.0	4.6	25.7	7.9
	 PS15500							
SO65503	 PS15500	2.661	871.7	196.4	20.3	9.5	119.4	21.5
	 PS15501							
	 PS15500							
SO65507	 PS15502	1.322	600.1	169.2	7.9	4.9	248.1	30.7
	 PS15502							
SO65515	 PS15503	1.612	626.0	176.4	24.0	5.6	8.2	5.1
	 PS15503							
PS15601		0.269	131.2	27.1	-	-	-	-
PS15504		0.325	172.9	69.4	-	-	-	-
PS15055		0.414	191.0	51.1	-	-	-	-
PS15058		0.266	116.6	92.3	-	-	-	-


Profili okvira


SO65500 1.644 Kg/m




SO65503 2.661 Kg/m

Profili krila i prečke




SO65507 1.322 Kg/m




SO65515 1.612 Kg/m

Profili lajsne




PS15601 0.269 Kg/m




PS15504 0.325 Kg/m



Profil okapnice i centralni profil





PS15055 0.414 Kg/m




PRESJECI




PRESJECI





PRESJECI





2





PRESJECI





PRESJECI





PRESJECI





PRESJECI




PRESJECI





PRESJECI





PRESJECI




PRESJECI



73





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)	2		

KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	4	Hkr=H-77
SO65507	VODORAVNICA KRILA	4	Lkr=(L/2)-2
PS15504	POKLOPNA LAJSNA (KRILO)	2	Hkr
PS15601	OKOMITI DODATAK OKVIRA	1L 1D	H+26
PS15601	VODORAVNI DODATAK OKVIRA	1	L=L+52
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	8	
60257	KOMPLET ZA 2 KRILA	1	
GS4920	DODATAK ZA BRAVICU- POSTAVLJA SE NA OKVIR	1	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	1	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	10	4L + 6H
PRG-	UNUTARNJA BRTVA STAKLA	6	2L + 4H
PRG-	VANJSKA BRTVA STAKLA	6	2L + 4H
Z816	PVC umetak	4	2L + 2H
Z817	PVC zakačka za krilo	2	2H





REZNE LISTE




GORNJA STAKLA		DONJA STAKLA	
(Lkr-124) x (H2+30)	1	(Lkr-124) x (H1+30)	1

KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	4	Hkr=H-77
SO65507	VODORAVNICA KRILA	4	Lkr=(L/2)-2
PS15504	POKLOPNA LAJSNA (KRILO)	2	Hkr
PS15601	OKOMITI DODATAK OKVIRA	1L 1D	H+26
PS15601	VODORAVNI DODATAK OKVIRA	1	L=L+52
SO65515	VODORAVNICA UNUTAR KRILA	2	Lkr-108
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	8	
60257	KOMPLET ZA 2 KRILA	1	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	1	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	1	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	10	4L + 6H
PRG-	UNUTARNJA BRTVA STAKLA	8	4L + 4H
PRG-	VANJSKA BRTVA STAKLA	8	4L + 4H
Z816	PVC umetak	4	2L + 2H
Z817	PVC zakačka za krilo	2	2H





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)	4		

KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	8	Hkr=H-77
SO65507	VODORAVNICA KRILA	8	Lkr=(L/4)+15.63
PS15504	POKLOPNA LAJSNA (KRILO)	4	Hkr
PS15601	OKOMITI DODATAK OKVIRA	1L 1D	H+26
PS15601	VODORAVNI DODATAK OKVIRA	1	L=L+52
PS15055	PROFIL NA SPOJU KRILA	1	Hkr
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	16	
60257	KOMPLET ZA 2 KRILA	2	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	2	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	2	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	14	4L + 10H
PRG-	UNUTARNJA BRTVA STAKLA	10	2L + 8H
PRG-	VANJSKA BRTVA STAKLA	10	2L + 8H
Z816	PVC umetak	4	2L + 2H
Z817	PVC zakačka za krilo	4	4H





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)	3		

KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	6	Hkr=H-77
SO65507	VODORAVNICA KRILA	6	Lkr=(L/3)-3.5
PS15504	POKLOPNA LAJSNA (KRILO)	2	Hkr
PS15601	OKOMITI DODATAK OKVIRA	1L 1D	H+26
PS15601	VODORAVNI DODATAK OKVIRA	1	L=L+52
PS15055	PROFIL NA SPOJU KRILA	1	Hkr
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	12	
60257	KOMPLET ZA 2 KRILA	1,5	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	2	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	2	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	12	4L+8H
PRG-	UNUTARNJA BRTVA STAKLA	8	2L+6H
PRG-	VANJSKA BRTVA STAKLA	8	2L+6H
Z816	PVC umetak	4	2L+2H
Z817	PVC zakačka za krilo	2	2H





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)	3		

KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	6	Hkr=H-77
SO65507	VODORAVNICA KRILA	6	Lkr=(L/3)+23
PS15504	POKLOPNA LAJSNA (KRILO)	4	Hkr
PS15601	OKOMITI DODATAK OKVIRA	1L 1D	H+26
PS15601	VODORAVNI DODATAK OKVIRA	1	L=L+52
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	12	
60257	KOMPLET ZA 2 KRILA	1,5	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	2	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	2	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	-	
24.049.050	ČETKICA	12	4L+8H
PRG-	UNUTARNJA BRTVA STAKLA	8	2L+6H
PRG-	VANJSKA BRTVA STAKLA	8	2L+6H
Z816	PVC umetak	4	2L+2H
Z817	PVC zakačka za krilo	4	4H





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)	3		

KOD	PROFIL	BR. KOM	REZANJE
SO65503	OKOMICA OKVIRA	2	H
SO65503	GORNJA VODORAVNICA OKVIRA	1	L
SO65503	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	6	Hkr=H-77
SO65507	VODORAVNICA KRILA	6	Lkr=(L/3)+23
PS15504	POKLOPNA LAJSNA (KRILO)	4	Hkr
PS15601	OKOMITI DODATAK OKVIRA	1L 1D	H+26
PS15601	VODORAVNI DODATAK OKVIRA	1	L=L+52
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	12	
60257	KOMPLET ZA 2 KRILA	1,5	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	1	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	1	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	12	4L+8H
PRG-	UNUTARNJA BRTVA STAKLA		2L+6H
PRG-	VANJSKA BRTVA STAKLA		2L+6H
Z816	PVC umetak	8	4H+4L
Z817	PVC zakačka za krilo	4	4H





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)	6		
Z816	PVC umetak	8	4H+4L
Z817	PVC zakačka za krilo	8	8H

KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	12	Hkr=H-77
SO65507	VODORAVNICA KRILA	12	Lkr=(L/6)+34.75
PS15504	POKLOPNJA LAJSNA (KRILO)	8	Hkr
PS15055	PROFIL NA SPOJU KRILA	1	Hkr
PS15058	OKAPNICA	2	L

KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	24	
60257	KOMPLET ZA 2 KRILA	3	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	2	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	2	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	18	4L+14H
PRG-	UNUTARNJA BRTVA STAKLA	14	2L+12H
PRG-	VANJSKA BRTVA STAKLA	14	2L+12H





REZNE LISTE




STAKLO		STAKLO	
(Lkr1-124) x (Hkr1-124)	2	(Lkr2-110) x (Hkr2-110)	1


KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H1
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	4	Hkr=H1-77
SO65507	VODORAVNICA KRILA	4	Lkr=(L/2)-2
PS15504	POKLOPNA LAJSNA (KRILO)	2	Hkr
PS15058	OKAPNICA	2	L



KOD	PROFIL	BR. KOM	REZANJE
PR 65106	OKOMICA OKVIRA	2	H2
PR 65106	GORNJA VODORAVNICA OKVIRA	1	L
PR 65106	DONJA VODORAVNICA OKVIRA	1	L
PR 65113	OKOMICA KRILA	2	H2-92
PR 65113	VODORAVNICA KRILA	2	L-92
PR 50550	POTISNA LETVA	1	
-	OKOMITA LAJSNA	2	Hkr2-140
-	VODORAVNA LAJSNA	2	Lkr2-96
KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	8	
60257	KOMPLET ZA 2 KRILA	1	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	1	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	1	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	10	4L+6H
PRG-	UNUTARNJA BRTVA STAKLA	8	4L+4H1+2H2
PRG-	VANJSKA BRTVA STAKLA	8	4L+4H1+2H2
Z816	PVC umetak	4	2L+2H
Z817	PVC zakačka za krilo	2	2H
PRA 19	POMOĆNI KUTNIK OKVIRA	4	
PRA 02	POMOĆNI KUTNIK OKVIRA/KRILA	8	
PRA 16	GLAVNI KUTNIK OKVIRA	4	
0190	POMOĆNI KUTNIK KRILA	4	
PRA 14	KUTNIK PORAVNANJA KRILA	4	
0092	BOLCNA ZA KUTNIKE PRA 19 i 0190	16	





REZNE LISTE




STAKLO			
(Lkr-124) x (Hkr-124)		6	
Z816	PVC umetak	8	4H+4L
Z817	PVC zakačka za krilo	8	8H


KOD	PROFIL	BR. KOM	REZANJE
SO65500	OKOMICA OKVIRA	2	H
SO65500	GORNJA VODORAVNICA OKVIRA	1	L
SO65500	DONJA VODORAVNICA OKVIRA	1	L
SO65507	OKOMICA KRILA	12	Hkr=H-77
SO65507	VODORAVNICA KRILA	12	Lkr=(L/6)+34.75
PS15504	POKLOPNA LAJSNA (KRILO)	8	Hkr
PS15055	PROFIL NA SPOJU KRILA	1	Hkr
PS15058	OKAPNICA	2	L


KOD	OKOVI	BR. KOM	NOTE
0423	KUTNIK OKVIRA	8	
S2031	KUTNIK KRILA	24	
60257	KOMPLET ZA 2 KRILA	3	
GS4920	DODATAK ZA BRAVICU-POSTAVLJA SE NA OKVIR	2	
GS2988	BRAVICA-POSTAVLJA SE NA KRILO	2	
GS3172	ŠTIPALICA ZA FIKSIRANJE DRUGOG KRILA	1	
24.049.050	ČETKICA	18	4L+14H
PRG-	UNUTARNJA BRTVA STAKLA	14	2L+12H
PRG-	VANJSKA BRTVA STAKLA	14	2L+12H







Technical drawing of the SO65500 profile cross-section. The profile is symmetrical with a central hexagonal void. Dimensions are indicated: a total height of 25.1, a lower section height of 24.4, and a width of 10.5 on each side of the central void. The model name SO65500 is shown in a box at the bottom.












SECTION A-A





Obrada na profilu SO65507 za ugradnju kutnika S2031





Obrada na profilu SO65500 za odvod kondenza









Obrada na profilu SO65503 za odvod kondenza







Obrada na profilu SO65500 za odvod kondenza











Obrada na profilima za montiranje ručke







PS15504




PS15055

Obrada na profilu krila za spajanje prečke SO65515





Obrada na profilu prečke SO65515





Obrada na profilu SO65500 za pričvršćivanje okvira

SECTION H-H






Obrada na profilu SO65503 za pričvršćivanje okvira





SECTION A-A



Okov

Code Kod	Section Presjek	Description Opis	Box Quantity Količina/pak.	Material Materijal		
60257		Komplet točkića- dva točkića po krilu				E65Stt
0423		Kutnik okvira				Aluminijski odlivak E65Stt
24.049.050		Četkasta brtva za krilo 7,5x5mm				E560sE65Stt
S2031		Kutnik krila				E65Stt
UP2		UNUTARNJA EPDM BRTVA ZA STAKLO, 2 mm	180			EPDM E65Stt E50 E50tt PR65tt PE85tt PK150tt
PRG621		UNUTARNJA EPDM BRTVA ZA STAKLO, 2-3 mm	160			EPDM E65Stt E50 E50tt PR65tt PE85tt PK150tt
UP4		UNUTARNJA BRTVA ZA STAKLO 4mm	???			EPDM E65Stt E50 E50tt PR65tt PE85tt PK150tt
PRG14		UNUTARNJA EPDM BRTVA ZA STAKLO, 4-5 mm	120			EPDM E65Stt E50 E50tt PR65tt PE85tt PK150tt

Okov

Code Kod	Section Presjek	Description Opis	Box Quantity Količina/pak.			Material Materijal		
PRG705		UNUTARNJA EPDM BRTVA S PEROM ZA STAKLO, 4-5 mm	150			EPDM		
PRG17		UNUTARNJA EPDM BRTVA ZA STAKLO, 6-7 mm	80			EPDM		
GS2988		Bravica-postavlja se na krilo						
GS4920		Dodatak za bravicu postavlja se na okvir						
GS3172		Štipalica za fiksiranje drugog krila						
Z816		Plastični umetak za okvir				PVC		
Z817		Plastični umetak za zakačku na spoju krila				PVC		

Napomene



Emerus d.o.o. | A. von Humboldta 4B | 10000 Zagreb | Hrvatska | Tel: +385 1 2099 195

Emerus d.o.o. | Knešpolje b.b. | 88220 Široki Brijeg | Bosna i Hercegovina | Tel: +387 39 701 240

www.emerus.eu

info@emerus.eu

