




EMERUS

ALUMINIUM EXTRUSION








E90tt


Skriveno krilo

TEHNIČKI KATALOG


Profili / Profiles

Kod Codice Code	Presjek Sezione Cross Section	Težina Peso Weight Kg/m	Perimetar Perimetro Perimeter mm	Vidljiva površina Sup. in Vista Exposed surface mm	Jx cm ⁴	Wx cm ⁴	Jy cm ⁴	Wy cm ⁴
E90106		ED 0900	398.13	188.75	76.97	15.71	27.79	6.66
		ED 0901						
E90108		ED 0912	408.13	198.75	78.93	15.57	32.92	7.43
		ED 0907						
E90112		ED 0902	407.50	206.93	88.26	19.70	56.74	11.85
		ED 0903						
E90114		ED 0902	403.50	201.93	78.66	18.12	51.74	10.99
		ED 0911						
E90135		ED 0908	484.06	171.13	89.02	16.45	50.36	10.17
		ED 0909						
E90141		ED 0904	216.50	82.48	1.17	1.27	26.82	6.51
		ED 0905						
ED0910			99.73	48.24	-	-	-	-
ED0942			100.70	13.78	-	-	-	-


E90106 2.067 Kg/m




E90108 2.207 Kg/m




E90112 2.512 Kg/m




E90114 2.431 Kg/m







E90135 2.474 Kg/m



ED0910 0.264 Kg/m




E90141 0.983 Kg/m




ED0942 0.167 Kg/m


Tipologije




Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening




Jednostrano skriveno krilo s fiksnim dijelom - Unutarnje otvaranje / One-sided hidden sash with a fixed part- Inward opening





Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening





Obostrano skriveno krilo s fiksnim dijelom - Unutarnje otvaranje / Both-sided hidden sash with a fixed part- Inward opening





Obostrano skriveno krilo - Vanjsko otvaranje / Both-sided hidden sash - Outward opening



Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening




Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening


E90tt	PODACI O OVOME KATALOGU ČISTO SU INDIKATIVNI.FIRMA ZADRŽAVA PRAVO IZMJENA TEHNIČKE PRIRODE BEZ PRETHODNOG OBAVJEŠTENJA.	S04	05/06/2023
-------	---	-----	------------



Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening




Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening



Jednokrilna zaokretna vrata s fiksnim dijelom / Single leaf doors with a fixed part





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening




Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening




Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening





Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening





E90tt	PODACI O OVOME KATALOGU ČISTO SU INDIKATIVNI.FIRMA ZADRŽAVA PRAVO IZMJENA TEHNIČKE PRIRODE BEZ PRETHODNOG OBAVJEŠTENJA.	S14	05/06/2023
-------	---	-----	------------





Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening





Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening



Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening






Obostrano skryveno krilo - Vanjsko otvaranje / Both-sided hidden sash - Outward opening











Obostrano skriveno krilo - Vanjsko otvaranje / Both-sided hidden sash - Outward opening

Jednokrilna zaokretna vrata / Single leaf doors



Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening

Jednokrilna zaokretna vrata / Single leaf doors


KOD	PROFIL	BR. KOM	REZANJE	KOD	OKOVI	BR. KOM	NOTE
E 90106	OKOMICA OKVIRA	1L 1D		PRA 16	GLAVNI KUTNIK OKVIRA	2	
E 90106	GORNJA VODORAVNICA OKVIRA	1		0198	POMOĆNI KUTNIK OKVIRA	2	
E 90141	PRAG	1		VILM 4x14_D5	VIJAK ZA KUTNIK 0198	4	
E 90112	OKOMICA KRILA	2		PRA 14	KUTNIK PORAVNANJA OKVIRA/KRILA	6	
E 90112	VODORAVNICA KRILA	2		PRA206	GLAVNI KUTNIK KRILA	4	
-	OKOMITA LAJSNA KRILA	2		PRA207	VIJAK ZA KUTNIK PRA206	8	
-	VODORAVNA LAJSNA KRILA	2		PRA 19	KUTNIK PORAVNANJA KRILA - 0173	4	
ED 0942	OKAPNICA	1		0092	BOLCNA ZA KUTNIK PRA19	8	
				PRG 90	ČEP PRAGA	1	

KOD	BRTVE/ČEPOVI	BR. KOM	NOTE
PRG901	CENTRALNA BRTVA OKVIRA	-	1L + 2H
PRG902	CENTRALNA BRTVA KRILA	-	2L + 2H
PRG903	BRTVA PRAGA	-	1L
Z106	VANJSKA BRTVA OKVIRA	-	1L + 2H
Z106	UNUTARNJA BRTVA KRILA	-	2L + 2H
PRG -	UNUTARNJA BRTVA PANELA	-	2L + 2H
29.049.050	ČETKICA ZA OKAPNICU ED 0942	-	1L

VANJSKA DIMENZIJA PANELA		UNUTARNJA DIMENZIJA PANELA	
(Lkr-50) x (Hkr-50)	-	(Lkr-178) x (Hkr-178)	-














Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening

Jednokrilna zaokretna vrata s fiksnim dijelom / Single leaf doors with a fixed part



Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening

Jednokrilna zaokretna vrata s fiksnim dijelom / Single leaf doors with a fixed part

KOD	PROFIL	BR. KOM	REZANJE
E 90108	OKOMICA OKVIRA	1L 1D	
E 90108	GORNJA VODORAVNICA OKVIRA	1	
E 90141	PRAG	1	
E 90112	OKOMICA KRILA	2	
E 90112	VODORAVNICA KRILA	2	
E 90135	CENTRALNA PREČKA	1	
ED 0910	HORIZONTALNICA DODATKA PREČKE	1	
ED 0910	VERTIKALNICA DODATKA PREČKE	2	
-	OKOMITA LAJSNA KRILA	2	
-	VODORAVNA LAJSNA KRILA	2	
ED 0942	OKAPNICA	1	
-	OKOMITA LAJSNA - FIKSNO	2	
-	VODORAVNA LAJSNA - FIKSNO	2	

KOD	OKOVI	BR. KOM	NOTE
PRA 16	GLAVNI KUTNIK OKVIRA	2	
0198	POMOĆNI KUTNIK OKVIRA	2	
VILM 4x14_D5	VIJAK ZA KUTNIK 0198	4	
PRA 14	KUTNIK PORAVNANJA OKVIRA/KRILA	6	
PRA206	GLAVNI KUTNIK KRILA	4	
PRA207	VIJAK ZA KUTNIK PRA206	8	
PRA 19	KUTNIK PORAVNANJA KRILA - 0173	4	
0092	BOLCNA ZA KUTNIK PRA19	8	
2401	KUTNIK PORAVNANJA PREČKE I OKVIRA	2	
PRG 90	ČEP PRAGA	1	




KOD	BRTVE/ČEPOVI	BR. KOM	NOTE
PRG901	CENTRALNA BRTVA OKVIRA	-	1L1 + 2H
PRG902	CENTRALNA BRTVA KRILA	-	2L1 + 2H
PRG903	BRTVA PRAGA	-	1L1
Z106	VANJSKA BRTVA OKVIRA	-	1L1 + 2H
Z106	UNUTARNJA BRTVA KRILA	-	2L1 + 2H
PRG -	UNUTARNJA BRTVA PANELA	-	2L1 + 2H
29.049.050	ČETKICA ZA OKAPNICU ED 0942	-	1L1
PRG -	UNUTARNJA BRTVA STAKLA	-	2L2 + 2H
PRG -	VANJSKA BRTVA STAKLA	-	2L2 + 2H

VANJSKA DIMENZIJA PANELA		UNUTARNJA DIMENZIJA PANELA	
(Lkr-50) x (Hkr-50)	-	(Lkr-178) x (Hkr-178)	-

DIMENZIJE FIKSNOG STAKLA	
(L2-93.5) x (H-118)	1

Jednostrano skriveno krilo - Unutarnje otvaranje / One-sided hidden sash - Inward opening

Jednokrilna zaokretna vrata / Single leaf doors



Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening







E90tt

PODACI O OVOME KATALOGU ČISTO SU INDIKATIVNI. FIRMA ZADRŽAVA PRAVO IZMJENA TEHNIČKE PRIRODE BEZ PRETHODNOG OBAVJEŠTENJA.

R03

05/06/2023

Jednokrilna zaokretna vrata / Single leaf doors

KOD	PROFIL	BR. KOM	REZANJE
E 90106	OKOMICA OKVIRA	1L 1D	
E 90106	GORNJA VODORAVNICA OKVIRA	1	
E 90141	PRAG	1	
E 90114	OKOMICA KRILA	2	
E 90114	VODORAVNICA KRILA	2	
ED 0942	OKAPNICA	1	





KOD	OKOVI	BR. KOM	NOTE
PRA 16	GLAVNI KUTNIK OKVIRA	2	
0198	POMOĆNI KUTNIK OKVIRA	2	
VILM 4x14_D5	VIJAK ZA KUTNIK 0198	4	
PRA 14	KUTNIK PORAVNANJA OKVIRA/KRILA	2	
PRA205	GLAVNI KUTNIK KRILA	4	
PRA207	VIJAK ZA KUTNIK PRA205	8	
PRA 19	KUTNIK PORAVNANJA KRILA - 0173	4	
0092	BOLCNA ZA KUTNIK PRA19	8	
PRG 90	ČEP PRAGA	1	

KOD	BRTVE/ČEPOVI	BR. KOM	NOTE
PRG901	CENTRALNA BRTVA OKVIRA	-	1L + 2H
PRG902	CENTRALNA BRTVA KRILA	-	2L + 2H
PRG903	BRTVA PRAGA	-	1L
Z106	VANJSKA BRTVA OKVIRA	-	1L + 2H
PRG905	UNUTARNJA BRTVA KRILA	-	2L + 2H
29.049.050	ČETKICA ZA OKAPNICU ED 0942	-	1L

VANJSKA DIMENZIJA PANELA		UNUTARNJA DIMENZIJA PANELA	
(Lkr-50) x (Hkr-50)	-	(Lkr x (Hkr)	-













Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening

Jednokrilna zaokretna vrata s fiksnim dijelom / Single leaf doors with a fixed part



Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening

Jednokrilna zaokretna vrata s fiksnim dijelom / Single leaf doors with a fixed part

KOD	PROFIL	BR. KOM	REZANJE
E 90108	OKOMICA OKVIRA	1L 1D	
E 90108	GORNJA VODORAVNICA OKVIRA	1	
E 90108	DONJA VODORAVNICA OKVIRA - FIKSNI DIO	1	
E 90141	PRAG	1	
E 90112	OKOMICA KRILA	2	
E 90112	VODORAVNICA KRILA	2	
E 90135	CENTRALNA PREČKA	1	
ED 0910	HORIZONTALNICA DODATKA PREČKE	1	
ED 0910	VERTIKALNICA DODATKA PREČKE	2	
ED 0942	OKAPNICA	1	
-	OKOMITA LAJSNA - FIKSNO	2	
-	VODORAVNA LAJSNA - FIKSNO	2	


KOD	OKOVI	BR. KOM	NOTE
PRA 16	GLAVNI KUTNIK OKVIRA	2	
0198	POMOĆNI KUTNIK OKVIRA	2	
VILM 4x14_D5	VIJAK ZA KUTNIK 0198	4	
PRA 14	KUTNIK PORAVNANJA OKVIRA/KRILA	6	
PRA206	GLAVNI KUTNIK KRILA	4	
PRA207	VIJAK ZA KUTNIK PRA206	8	
PRA 19	KUTNIK PORAVNANJA KRILA - 0173	4	
0092	BOLCNA ZA KUTNIK PRA19	8	
2401	KUTNIK PORAVNANJA PREČKE I OKVIRA	2	
PRG 90	ČEP PRAGA	1	


KOD	BRTVE/ČEPOVI	BR. KOM	NOTE
PRG901	CENTRALNA BRTVA OKVIRA	-	1L1 + 2H
PRG902	CENTRALNA BRTVA KRILA	-	2L1 + 2H
PRG903	BRTVA PRAGA	-	1L1
Z106	VANJSKA BRTVA OKVIRA	-	1L1 + 2H
PRG905	UNUTARNJA BRTVA KRILA	-	2L1 + 2H
29.049.050	ČETKICA ZA OKAPNICU ED 0942	-	1L1
PRG -	UNUTARNJA BRTVA STAKLA	-	2L2 + 2H
PRG -	VANJSKA BRTVA STAKLA	-	2L2 + 2H


VANJSKA DIMENZIJA PANELO		UNUTARNJA DIMENZIJA PANELO	
(Lkr-50) x (Hkr-50)	-	(Lkr) x (Hkr)	-


DIMENZIJE FIKSNOG STAKLA	
(L2-93.5) x (H-118)	1


Obostrano skriveno krilo - Unutarnje otvaranje / Both-sided hidden sash - Inward opening































Brtve i kutnici

KOD	OPIS		Komada po pakovanju			MATERIJAL
PRG901		Centralna brtva okvira Central frame gasket				EPDM
						E90tt
PRG902		Centralna brtva krila Central sash gasket				EPDM
						E90tt
PRG903		Centralna brtva praga Central sill gasket				EPDM
						E90tt
Z106		Unutarnja brtva krila Inner sash gasket				EPDM
						E90tt
Z106		Vanjska brtva okvira Outer frame gasket				EPDM
						E90tt
PRG905		Unutarnja brtva krila za obostrano skriveno krilo Inner sash gasket for both side hidden sash				CO-Extruded-TPE
						E90tt
0198		Kutnik poravnanja okvira komora 16 x 33.2 mm Alignment corner joint chamber 16 x 33.2 mm				Aluminijski odlivak
						E90tt
VILM 4x14_D5		Vijak za kutnik 0198 Screw for corner 0198				Aluminijski odlivak
						E90tt

Brtve i kutnici

KOD	OPIS		Komada po pakovanju		MATERIJAL			
					E90tt			
PRA16		Glavni kutnik okvira 0447 komora 29 x 35.3 mm Corner joint on button - 0447 chamber 29 x 35.3 mm			Aluminijski odlivak			
					E50	E50tt	PR65tt	E90tt
5067		Glavni kutnik okvira komora 29 x 35.3 mm Corner joint on screw chamber 29 x 35.3 mm			Aluminijski odlivak			
								E90tt
VILM 5x17_D8		Vijak za kutnik 5067 Screw for corner 5067			Aluminijski odlivak			
								E90tt
PRA19		Pomoćni kutnik krila 0173 4.9 x 39.7 mm Alignment corner joint 0173 4.9 x 39.7 mm			Aluminijski odlivak			
							PR65tt	E90tt
0092		Bolcna za spajanje 0092 Connecting pin 0092			Aluminijski odlivak			
								E90tt
PRA14		Kutnik poravnanja 0707 INOX Alignment corner joint 0707 INOX			Nehrđajući čelik			
								-
PRA205		Glavni kutnik krila E90114 komora 24.7 x 47.1 mm Corner joint for sash E90114 24.7 x 47.1 mm			Aluminijski odlivak			
								E90tt
PRA206		Glavni kutnik krila E90114 33.2 x 47.1 mm Corner joint for sash E90114 chamber 33.2 x 47.1 mm			Aluminijski odlivak			
								E90tt

Brtve i kutnici

KOD	OPIS		Komada po pakovanju			MATERIJAL		
PRA207		Vijak za kutnike PRA205 i PRA206 Screw for corners PRA205 and PRA206				-		
								E90tt
2401		Dodatni veznik prečke i okvira Additional crossbar connector				Aluminijski odlivak		
								E90tt
PRG 90		Gumeni čep praga E90141 Threshold plug for E90141				-		
								E90tt
G 123		Veznik prečke Crossbar connector				Aluminijski odlivak		
			E50	E50tt	PR65tt	PE85tt	PE85Ntt	E90tt

Napomene / Notes



Emerus d.o.o. | A. von Humboldta 4B | 10000 Zagreb | Hrvatska | Tel: +385 1 2099 195

Emerus d.o.o. | Knešpolje b.b. | 88220 Široki Brijeg | Bosna i Hercegovina | Tel: +387 39 701 240

www.emerus.eu

info@emerus.eu

