




EMERUS

ALUMINIUM EXTRUSION














PE85Ntt


Ulazna vrata

TEHNIČKI KATALOG









PROFILI

Kod Codice Code	Presjek Sezione Cross Section		Težina Peso Weight Kg/m	Perimetar Perimetro Perimeter mm	Vidljiva površina Sup. in Vista Exposed surface mm	Jx cm ⁴	Wx cm ⁴	Jy cm ⁴	Wy cm ⁴
PE85202		0841							
			1.860	331.1	133.1	58.51	12.25	20.48	4.88
PE85206		0839							
PE85206		0843							
			1.967	345.1	147.1	65.19	13.72	29.49	6.49
PE85242		0842							
PE85242		0847							
			2.195	496.5	142.4	64.94	16.32	51.34	10.32
PE85214		0848							
PE85214		0845							
			2.010	363.5	140.0	66.14	15.32	35.64	8.26
PE85235		0846							
PE85235		0820							
			2.141	386.7	114.5	24.72	6.50	19.11	7.50
PE85139		0840							
PE85139		0806							
			1.607	370.5	114.5	49.8	11.5	12.5	3.54
PE85241		0625							
PE85241		0850							
			0.988	370.5	91.17	1.15	1.0	16.56	4.50
		0851							







PROFILI

Kod Codice Code	Presjek Sezione Cross Section	Težina Peso Weight Kg/m	Perimetar Perimetro Perimeter mm	Vidljiva površina Sup. in Vista Exposed surface mm	Jx cm ⁴	Wx cm ⁴	Jy cm ⁴	Wy cm ⁴
								
PR50553		0.258	151.12	31.1				
PR50554		0.260	151.84	32.1				
PR50555		0.248	146.01	28.8				
PR50556		0.266	154.02	35.1				
PR50557		0.255	148.35	31.88				
PR50558		0.271	155.47	37.1				
PR50559		0.259	149.81	33.88				
PR50560		0.275	156.92	39.1				


PROFILI



Kod Codice Code	Presjek Sezione Cross Section 	Težina Peso Weight <i>Kg/m</i>	Perimetar Perimetro Perimeter <i>mm</i>	Vidljiva površina Sup. in Vista Exposed surface <i>mm</i>	Jx <i>cm⁴</i>	Wx <i>cm⁴</i>	Jy <i>cm⁴</i>	Wy <i>cm⁴</i>
PR50561		0.263	151.26	35.88				
PR50562		0.298	170.22	42.1				
PR50563		0.287	164.55	38.88				
PR50564		0.306	173.09	45.1				
PR50565		0.294	167.42	41.88				
PR50566		0.322	182.16	47.1				
PR50567		0.301	176.49	43.88				
PR50568		0.342	192.16	52.1				


PROFILI

Kod Codice Code	Presjek Sezione Cross Section	Težina Peso Weight Kg/m	Perimetar Perimetro Perimeter mm	Vidljiva površina Sup. in Vista Exposed surface mm	Jx cm ⁴	Wx cm ⁴	Jy cm ⁴	Wy cm ⁴
								
PR50569		0.330	176.49	48.88				
PR50570		0.354	198.16	55.1				
PR50571		0.341	192.49	51.88				
PR50572		0.362	202.16	57.1				
PR50573		0.350	196.49	53.88				
PR50574		0.211	104.50	26.60				
PR50576		0.218	103.56	27.10				


PROFILI

Kod Codice Code	Presjek Sezione Cross Section		Težina Peso Weight Kg/m	Perimetar Perimetro Perimeter mm	Vidljiva površina Sup. in Vista Exposed surface mm	Jx cm ⁴	Wx cm ⁴	Jy cm ⁴	Wy cm ⁴
PR50550			0.158	49.06	14.5				
PR58538			0.206	105.3	20.9				
PR58543			0.211	80.3	28.0				


PROFILI OKVIRA

PE85202 1.860 Kg/m

PE85206 1.967 Kg/m



PROFILI KRILA


PE85242 2.195 Kg/m




PE85214 2.046 Kg/m


PROFILI KRILA


PROFILI PREČKE I PRAGA

PE85235 2.142 Kg/m

PE85241 0.988 Kg/m


DODATNI PROFILI



PR58543 0.211 Kg/m




PR58538 0.206 Kg/m





PR50550 0.160 Kg/m

PROFILI LAJSNE




PROFILI LAJSNE




PROFILI LAJSNE



PROFILI LAJSNE





PROFILI LAJSNE





PROFILI LAJSNE




Jednokrilna panel vrata - Široki štok





Jednokrillna panel vrata - Široki štok





Jednokrilna panel vrata - Široki štok



Jednokrilna panel vrata - Široki štok





Jednokrilna panel vrata sa fiksnim dijelom - Široki štok





A diagram of a closed door. The door is white with a black handle. A red diagonal line runs from the top right corner to the bottom left corner, indicating the door is closed. The door is set into a grey frame.





Jednokrilna vrata - Široki štok





Jednokrilna vrata - Široki štok




Jednokrilna vrata - Široki štok




Jednokrilna vrata sa fiksnim dijelom - Široki štok





Jednokrilna vrata - Presjek sa pragom




Jednokrilna vrata sa fiksnim dijelom - Široki štok





Jednokrilna vrata sa ventusom - Široki štok





The image contains two technical drawings of a window frame. The top drawing is a cross-section view, showing a rectangular frame with a central vertical line and two diagonal lines forming a triangle. The bottom drawing is a perspective view of the same frame, showing a rectangular frame with a diagonal line running from the top-left corner to the bottom-right corner.





Jednokrilna vrata - Uski štok





Jednokrilna vrata - Uski štok




Jednokrilna vrata - Uski štok




Jednokrilna vrata sa gornjim fiksnim dijelom





A technical drawing of a door assembly. The door is shown in a closed position, with a diagonal brace running from the bottom-left corner to the top-right corner. The door is framed by a transom at the top and a base at the bottom. The drawing is a line drawing with no shading.





Jednokrilna vrata sa fiksnim dijelom - Unutarnje otvaranje - Uski štok





Jednokrilna vrata sa ventusom - Unutarnje otvaranje - Uski štok






Jednokrilna vrata sa ventusom - Unutarnje otvaranje - Uski štok












Jednokrilna vrata sa ventusom - Unutarnje otvaranje - Uski štok



Rezne liste - Jednokrilna vrata/staklo - Veliki okvir






Rezne liste - Jednokrilna vrata/staklo - Veliki okvir

KOD	PROFIL	BR. KOM	REZANJE	KOD	OKOVI	BR. KOM	NOTE
PE 85206	OKOMICA OKVIRA	1L 1D		TONALE 5043	KUTNIK OKVIRA/KRILA	6	
PE 85206	GORNJA VODORAVNICA OKVIRA	1		PRA 02	KUTNIK PORAVNANJA OKVIRA/KRILA	6	
PE 85241	PRAG	1		PRA 203	KUTNIK PORAVNANJA KRILA/OKVIRA	6	
PE 85214	OKOMICA KRILA	1L 1D		PRA 14	KUTNIK PORAVNANJA KRILA/OKVIRA	6	
PE 85214	VODORAVNICA KRILA	2		VILM	VIJAK ZA 5043	12	
PR 58538	NOSAČ BRTVE	1		0092	BOLCNA ZA PRA203	12	
PR 58543	OKAPNICA	1					
-	OKOMITA LAJSNA	2					
-	VODORAVNA LAJSNA	2					










KOD	BRTVE/ČEPOVI	BR. KOM	NOTE
PRG101-PR	CENTRALNA BRTVA	3	1L + 2H
PRA91-PR	KUTNIK CENTRALNE BRTVE	2	-
PRG05-PR	UNUTARNJA BRTVA KRILA	7	3L + 4H
PRG 21	BRTVA PRAGA	1	L
PRG -	VANJSKA BRTVA STAKLA	2	2L + 2H
PRG -	UNUTARNJA BRTVA STAKLA	2	2L + 2H

GORNJA STAKLA		DONJA STAKLA	
(L-248) x (H-210)	1		

Rezne liste - Jednokrilna vrata s panelom - Veliki okvir




Rezne liste - Jednokrilna vrata - Veliki okvir

KOD	PROFIL	BR. KOM	REZANJE	KOD	OKOVI	BR. KOM	NOTE
PE 85206	OKOMICA OKVIRA	1L 1D		TONALE 5043	KUTNIK OKVIRA	2	
PE 85206	GORNJA VODORAVNICA OKVIRA	1		PRA 204	KUTNIK KRILA	4	
PE 85241	PRAG	1		PRA 02	KUTNIK PORAVNANJA OKVIRA/KRILA	2	
PE 85242	OKOMICA KRILA	1L 1D		PRA 203	KUTNIK PORAVNANJA KRILA/OKVIRA	6	
PE 85242	VODORAVNICA KRILA	2		PRA 14	KUTNIK PORAVNANJA KRILA/OKVIRA	6	
PR 58538	NOSAČ BRTVE			0126	KUTNIK PORAVNANJA KRILA	4	
PR 58543	OKAPNICA	1		VILM	VIJAK ZA 5043/PRA204	12	
-	OKOMITA LAJSNA	2		0092	BOLCNA ZA 0126 i PRA203	12	
-	VODORAVNA LAJSNA	2					


KOD	BRTVE/ČEPOVI	BR. KOM	NOTE
PRG101-PR	CENTRALNA BRTVA	3	1L + 2H
PRA91-PR	KUTNIK CENTRALNE BRTVE	2	-
PRG05-PR	UNUTARNJA BRTVA KRILA	7	3L + 4H
PRG 21	BRTVA PRAGA	1	L
PRG -	VANJSKA BRTVA STAKLA	2	2L + 2H
PRG -	UNUTARNJA BRTVA STAKLA	2	2L + 2H

VANJSKI PANEL		UNUTARNJI PANEL	
(L-158) x (H-120)	1	(L-277) x (H-239)	1


Obrada na profilu PE85110 i PE85139 za montiranje kutnika PRA200 i PRA 203






Obrada na profilu PE85202 za montiranje kutnika 5004 i PRA 203




Obrada na profilu PE85206 za montiranje kutnika 5043 i PRA 203





Obrada na profilu PE85242 za montiranje kutnika PRA204 i 0126




Obrada na profilu klizača PR50550




Obrada na profilu okvira za odvod kondenza



Obrada na profilu okvira za spajanje s pragom




Obrada na profilu PE85235 za spajanje s okvirom








PE85235

PE85206



Obrada na profilu PE85235 za spajanje veznikom G123





OKOVI

Code Kod	Section Presjek	Description Opis	Box Quantity Količina/pak.			Material Materijal		
PRG101-PR		Centralna brtva Central gasket	60			EPDM + ESPANSO		
							PE85tt	PE85sk
PRA91-54		Kutnik centralne brtve PRG101 Corner joint for central gasket PRG101	60 (komada)			EPDM		
							PE85tt	PE85sk
UP2		Unutarnja brtva za staklo,2mm Internal glass gasket,2mm	180			EPDM		
			E560S E65Stt	E50	E50tt	PR65tt	PE85tt	PK150tt
PRG621		Unutarnja brtva za staklo,2-3mm Internal glass gasket,2-3mm	160			EPDM		
			E560S E65Stt	E50	E50tt	PR65tt	PE85tt	PK150tt
UP4		Unutarnja brtva za staklo,4mm Internal glass gasket,4mm	???			EPDM		
			E560S E65Stt	E50	E50tt	PR65tt	PE85tt	PK150tt
PRG14		Unutarnja brtva za staklo, 4-5mm Internal glass gasket, 4-5 mm	120			EPDM		
			E560S E65Stt	E50	E50tt	PR65tt	PE85tt	PK150tt
PRG705		Unutarnja brtva za staklo, 4-5 mm Internal glass gasket, 4-5 mm	150			EPDM		
			E560S E65Stt	E50	E50tt	PR65tt	PE85tt	PK150tt
PRG17		Unutarnja brtva za staklo, 6-7 mm Internal glass gasket, 6-7 mm	80			EPDM		
			E560S E65Stt	E50	E50tt	PR65tt	PE85tt	PK150tt







OKOVI

Code Kod	Section Presjek	Description Opis	Box Quantity Količina/pak.			Material Materijal		
PRG602		Vanjska koekstrudirana brtva za staklo, 2 mm External coextruded glass gasket, 2 mm	350			EPDM + ESPANSO		
PRG603		Vanjska koekstrudirana brtva za staklo, 3 mm External coextruded glass gasket, 3 mm	250			EPDM + ESPANSO		
PRG604		Vanjska koekstrudirana brtva za staklo, 3 mm External coextruded glass gasket, 3 mm	200			EPDM + ESPANSO		
PRG610		Vanjska koekstrudirana brtva za staklo, 3 mm External coextruded glass gasket, 3 mm	100			EPDM + ESPANSO		
PRG616		Vanjska brtva za staklo, 2-3 mm External glass gasket, 2-3 mm	???			EPDM		
PRG617		Vanjska brtva za staklo, 3-4 mm External glass gasket, 3-4 mm	???			EPDM		
PRG618		Vanjska brtva za staklo, 4-5 mm External glass gasket, 4-5 mm	150			EPDM		
PRG620		Vanjska brtva za staklo, 5 mm External glass gasket, 5 mm	150			EPDM		





OKOVI

Code Kod	Section Presjek	Description Opis	Box Quantity Količina/pak.			Material Materijal		
PRG05-PR		Udarna EPDM brtva Beating EPDM gasket	200			EPDM		
			E50	E50tt		PR65tt	PE85tt	
PRG05-PR-CO		Udarna koekstrudirana brtva Beating coextruded gasket	240			EPDM + ESPANSO		
			E50	E50tt		PR65tt	PE85tt	
PRG21		Brtva praga PE85241 i PR65241 Threshold gasket for PE85241 and PR65241				EPDM		
						PR65tt	PE85tt	
PRG85		Čep za prag profila PE85241 Threshold plug PE85241				PVC		
							PE85tt	

OKOVI

KOD	OPIS	Komada po pakovanju	MATERIJAL
5043	 Kutnik na vijak za profile PE85206 i PE85342 - komora 29.7 x 39 mm Corner joint on screw for profiles PE85206 and PE85342 - chamber 29.7 x 39 mm		Aluminijski odlivak
			PE85tt
5004	 Kutnik na vijak za profil PE85202 komora 27.3 x 32 mm Corner joint on screw for profile PE85202 - chamber 27.3 x 32 mm		Aluminijski odlivak
			PE85tt
PRA204	 Kutnik na vijak za profile PE85242 komora 29.2 x 36.6 mm Corner joint on screw for PE85242 chamber 29.2 x 36.6 mm		Aluminijski odlivak
			PE85tt
VILM 5x14_D8	 Vijak za kutnike PRA204,5011,5034 i 5043 Screw for corners PRA204,5011,5034 and 5043		
		E50	E50tt PR65tt PE85N PK150tt
0126	 Kutnik za komoru 7.9 x 32 mm Corner joint for chamber 7.9 x 32 mm		Aluminijski odlivak
			PE85tt
PRA02	 Kutnik poravnanja 2200 4.8mm x 17.4 mm Alignment corner joint 2200 4.8mm x 17.4 mm		Aluminijski odlivak
		PR65tt	PE66tt PE75tt PE85tt PK150tt
PRA200	 Glavni kutnik krila 0409 28.5 x 14.5 mm Corner joint on button 0409 28.5 x 14.5 mm		Aluminijski odlivak
		PR65tt	PE66tt PE75tt PE85tt PK150tt
5011	 Glavni kutnik krila 5011 28.5 x 14.5 mm Corner joint on screw 0409 28.5 x 14.5 mm		Aluminijski odlivak
		PR65tt	PE66tt PE75tt PE85tt PK150tt

OKOVI

KOD	OPIS	Komada po pakovanju		MATERIJAL			
PRA 14	 Kutnik poravnanja 0707 INOX Alignment corner joint 0707 INOX			Aluminijski odlivak			
		PS50	SO49tt	PR65tt	PE66tt	PE75tt	PE85tt
PRA 203	 Pomoćni kutnik 1105 8.5 x 14.4 mm Alignment corner joint 1105 8.5 x 14.4 mm			Aluminijski odlivak			
						PE85tt	PE85ttN
0092	 Bolna za spajanje 0092 Connecting pin 0092			Aluminijski odlivak			
				PK150tt	PR65tt	PE85tt	E90tt
G123	 Veznik prečke Crossbar connector			Aluminijski odlivak			
		E50	E50tt	PR65tt	PE85tt	PE85ttN	E90tt

Napomene / Notes



Emerus d.o.o. | A. von Humboldta 4B | 10000 Zagreb | Hrvatska | Tel: +385 1 2099 195

Emerus d.o.o. | Knešpolje b.b. | 88220 Široki Brijeg | Bosna i Hercegovina | Tel: +387 39 701 240

www.emerus.eu

info@emerus.eu

